

Callaway County Ambulance  
District

# Request for Proposals

*RFP Number – 2009-002*

*Closing Date – February 23, 2009*

*Closing Time – 0900 Hours*

*Radio Tower*

*Prepared by*

*Charles W. Anderson, Director*

The Callaway County Ambulance District is accepting proposals for the purchase and installation of a radio tower to be installed at 249 Karen Drive, Holts Summit, MO 65043.

Specifications for the tower are below.

- SUPPLY AN 80' ROHN 45G BRACKETED TOWER
- INSTALLATION OF TOWER TO BE PROVIDED BY QUALIFIED EXPERIENCED PERSONNEL
- VENDOR MUST CARRY WORKER'S COMPENSATION INSURANCE ON ALL EMPLOYEES AND 2 MILLION DOLLARS OF LIABILITY INSURANCE
- CUSTOMER WILL PROVIDE CONTRACTOR TO DIG 3 CUBIC YARD HOLE FOR TOWER
- CONCRETE IS TO BE PROVIDED BY TOWER VENDOR
- VENDOR MUST SUPPLY 5 REFERENCES OF CUSTOMERS FOR WHOM A SIMILAR TOWER WAS INSTALLED
- TOWER IS TO BE INSTALLED AT HOLTS SUMMIT AMBULANCE BASE
- EXISTING ROHN 25G BRACKETED TOWER IS TO BE REMOVED BY SUCCESSFUL VENDOR
- 2 ANTENNAS FROM EXISTING TOWER ARE TO BE INSTALLED ON NEW TOWER WITH COAX CABLE EXTENDED WITH 2 APPROXIMATELY 50' RUNS. ONE 50' RUN IS 1/2" HARDLINE WITH CONNECTORS AND THE OTHER IS 9913 COAX WITH CONNECTORS
- PROVIDE PRICE FOR TOWER WITH INSTALLATION INCLUDING CONCRETE, FEEDLINE AND EXISTING TOWER REMOVAL AND ANTENNA RELOCATION

Pricing for this proposal shall be valid until April 22, 2009.

The proposal must be sealed and marked with the RFP number and title on the outside of the envelope. Proposals must be received by 9:00 a.m. on February 23, 2009 at the Callaway County Ambulance District's offices at:

311 Hickman Ave  
PO Box 246  
Fulton, MO 65251

573-642-7260

The Signature affidavit on page 4 of this document must be completed and signed in order for the proposal to be accepted.

Proposals will be opened at this time and reviewed by the Board of Directors at a later date. The Board of Director's reserves the right to reject any and all proposals.

## Signature Affidavit

By submitting this proposal, we certify that the following:

- We have not directly or indirectly entered into any agreement or participated in any collusion or otherwise taken any action in restraint of free competition.
- No attempt has been made to induce any other person or firm to submit or not to submit a proposal.
- This bid has been independently arrived at without collusion with any other bidder, competitor or potential competitor.
- This bid has not been knowingly disclosed prior to the opening of bids to any other bidder or competitor.
- Under the penalty of perjury, the above statements are accurate.

The undersigned, submitting this proposal, hereby agrees with all the terms, conditions and specifications required by the Callaway County Ambulance District in this RFP, and declares that the attached bid and pricing are in conformity therewith.

\_\_\_\_\_  
Name (Type or Print)

\_\_\_\_\_  
Title

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Company or Firm

\_\_\_\_\_  
Address

\_\_\_\_\_  
City

\_\_\_\_\_  
State

\_\_\_\_\_  
Zip

\_\_\_\_\_  
Telephone

\_\_\_\_\_  
Fax

\_\_\_\_\_  
E-Mail